



706 **new**

Rubinetto di erogazione a sfera con portagomma.
Ball bibcock with hose tail.



Finiture disponibili
Available finishing



 NICHEL
NICKEL

Informazioni tecniche

- Pressione massima d'esercizio consigliata **16 bar**
- Temperatura massima di utilizzo **110°C**.
- Materiali: **CW617N UNI EN 12165 - CW614N UNI EN 12164 - PTFE - NBR - Acciaio.**

Technical informations

- *Maximum recommended working pressure* **16 bar**
- *Maximum using temperature* **110°C**.
- *Materials:* **CW617N UNI EN 12165 - CW614N UNI EN 12164 - PTFE - NBR - Steel.**

Art.	Ø	mm					
		A	B	C	D		
706	1/2"G	12	79	51	-	X	25-100

704

Rubinetto a pulsante.
Decorative tap with push button.



Finiture disponibili
Available finishing



 CROMATO
CHROME  GIALLO
YELLOW

Informazioni tecniche

- Materiali: **CW617N UNI EN 12165 - CB752S UNI EN 1982 - NBR - CW614N UNI EN 12164.**

Technical informations

- *Materials:* **CW617N UNI EN 12165 - CB752S UNI EN 1982 - NBR - CW614N UNI EN 12164.**

Art.	Ø	mm					
		A	B	C	D		
704	1/2"G	15	77	-	58	✓	10

714

Rubinetto tipo Rinascimento a vitone tradizionale da incasso.
Renaissance type tap with traditional headwork to build in.





Informazioni tecniche

- Materiali: **CB752S UNI EN 1982 - NBR - CW614N UNI EN 12164.**

Technical informations

- *Materials:* **CB752S UNI EN 1982 - NBR - CW614N UNI EN 12164.**

Art.	Ø	mm					
		A	B	C	D		
714	1/2"G	60	53	-	75	X	Pezzi sfusi Loose pieces



RUBINETTI ORNAMENTALI DA GIARDINO
ORNAMENTAL GARDEN TAPS

F.A.R.G.